

Annexure A: Combination Prevention Interventions for HAST Transmission

	Combination interventions to prevent HAST transmission among specific target groups									
Target Group and Agencies	Condoms	PEP	HCT	TB screening	MMC	BCC	STI Treatment	PrEP	PMTCT	Addressing contextual issues
Adult females	Easy access to both female and male condoms	PEP provided within 72hrs of exposure. (e.g. sexual violence, occupational exposure, discordant couples)	Regular HCT (e.g. yearly)	Regular TB screening;	N/A	Mass media with messages targeting healthy lifestyles and promotion of effective programmes	Prompt treatment of those infected	HIV negative who wants to conceive with HIV infected partner	Appropriate PMTCT services including primary prevention of HIV and pregnancies	Economic and social empowerment
<i>Agency/ Agencies</i>	DOH	DOH, DCSL, SAPS	DOH	DOH		OTP, DAC	DOH	DOH	DOH	DED, DAERD, DSD
	Consistent condom promotion			Investigations if contact or symptomatic		Participation in social network activities	Tracing and treatment of contacts			Violence reduction
<i>Agency/ Agencies</i>	<i>DOH, COGTA</i>			DOH		OTP, DAC	DOH			DCSL, SAPS
						Community conversations and mobilization	Counselling			Appropriate human settlement
<i>Agency/ Agencies</i>						OTP, DAC				COGTA, DHS
						Toll free help line				Access to clean water and sanitation
<i>Agency/ Agencies</i>						DOH				COGTA DAERD

	Combination interventions to prevent HAST transmission among specific target groups									
Target Group and Agencies	Condoms	PEP	HCT	TB screening	MMC	BCC	STI Treatment	PrEP	PMTCT	Addressing contextual issues
Adult men	Easy access to both female and male condoms	PEP provided within 72hrs of exposure. (e.g. sexual violence, occupational exposure, discordant couples)	Regular HCT (e.g. yearly)	Regular TB screening;	Providing MMC services	Mass media with messages targeting healthy lifestyles and promotion of effective programmes	Prompt treatment of those infected	HIV negative who wants to conceive with HIV infected partner	N/A	Economic and social empowerment
<i>Agency/ Agencies</i>	DOH	DOH, DCSL, SAPS	DOH	DOH	DOH	OTP, DAC	DOH	DOH		DED, DAERD, DSD
	Consistent condom promotion			Investigations if contact or symptomatic		Participation in social network activities	Tracing and treatment of contacts			Violence reduction
<i>Agency/ Agencies</i>	<i>DOH, COGTA</i>			<i>DOH</i>		<i>OTP, DAC</i>	<i>DOH</i>			DCSL, DSD
				Early TB treatment if infected		Community conversations and mobilization	Counselling			Appropriate human settlement
<i>Agency/ Agencies</i>				<i>DOH</i>		OTP, DAC, DCS	DOH			COGTA, DHS
						Toll free help line				Access to clean water and sanitation
<i>Agency/ Agencies</i>						DOH				COGTA DAERD

	Combination interventions to prevent HAST transmission among specific target groups									
Target Group and Agencies	Condoms	PEP	HCT	TB screening	MMC	BCC	STI Treatment	PrEP	PMTCT	Addressing contextual issues
Young girls under 15	Easy access to both female and male condoms for those over 12 years	PEP provided within 72hrs of exposure. (e.g. sexual violence)	Yearly HCT for those over 12 years	Yearly TB screening for those over 12 years	NA	Life skills-based education to enable the make safe choices e.g. delaying sexual debut	Prompt treatment of those infected	N/A	Appropriate PMTCT services including primary prevention of HIV and pregnancies	Violence reduction
<i>Agency/ Agencies</i>	DOH	DOH, DCSL, SAPS	DOH	DOH		DOE, DAC, OTP	DOH		DOH	DCSL, DSD
	Consistent condom promotion for those over 12 years			Investigations if contact or symptomatic			Tracing and treatment of contacts			Appropriate human settlement
<i>Agency/ Agencies</i>	DOH, DOE, COGTA			DOH			DOH			COGTA, DHS
				Early TB treatment if infected			Counselling			Access to clean water and sanitation
<i>Agency/ Agencies</i>				DOH			DOH			COGTA DAERD

	Combination interventions to prevent HAST transmission among specific target groups									
Target Group and Agencies	Condoms	PEP	HCT	TB screening	MMC	BCC	STI Treatment	PrEP	PMTCT	Addressing contextual issues
Infants and male children under 15	Easy access to both female and male condoms for those over 12 years	PEP provided within 72hrs of exposure.	Yearly HCT for those over 12 years	Yearly TB screening for those over 12 years	Infant and adolescent MMC	Life skills-based education to enable the make safe choices e.g. delaying sexual debut	Prompt treatment of those infected	N/A	Appropriate PMTCT services including primary prevention of HIV and pregnancies	Violence reduction
<i>Agency/ Agencies</i>	DOH	DOH, DCSL, SAPS	DOH	DOH	DOH	DOE, DAC, OTP	DOH			DCSL, DSD
	Consistent condom promotion for those over 12 years			Investigations if contact or symptomatic			Tracing and treatment of contacts			Appropriate human settlement
<i>Agency/ Agencies</i>	DOH, DOE, COGTA			DOH			DOH			COGTA, DHS
				Early TB treatment if infected			Counselling			Access to clean water and sanitation
<i>Agency/ Agencies</i>				DOH			DOH			COGTA DAERD

	Combination interventions to prevent HAST transmission among specific target groups									
Target Group and Agencies	Condoms	PEP	HCT	TB screening	MMC	BCC	STI Treatment	PrEP	PMTCT	Addressing contextual issues
Inmates at correctional services facilities	Easy access to Condom distribution	PEP provided within 72hrs of exposure. (e.g. sexual violence)	Regular HCT (e.g. yearly)	Regular TB screening;	Providing MMC services	Behaviour change communication with massages targeting healthy lifestyle	Prompt treatment of those infected	N/A	Appropriate PMTCT services including primary prevention of HIV and pregnancies	Economic and social empowerment
<i>Agency/ Agencies</i>	DOH	DOH, DCS	DOH	DOH	DOH	DOE, DAC, OTP	DOH		DOH	DCSL, DSD
				Investigations if contact or symptomatic			Tracing and treatment of contacts			Violence reduction
<i>Agency/ Agencies</i>	<i>DOH, DOE, COGTA</i>			<i>DOH</i>			<i>DOH</i>			DSD, DCS
				Early TB treatment if infected			Counselling			Appropriate human settlement
<i>Agency/ Agencies</i>				<i>DOH</i>			DOH			DCS
										Access to clean water and sanitation
<i>Agency/ Agencies</i>										COGTA DAERD

	Combination interventions to prevent HAST transmission among specific target groups									
Target Group and Agencies	Condoms	PEP	HCT	TB screening	MMC	BCC	STI Treatment	PrEP	PMTCT	Addressing contextual issues
Sex workers, their clients and substance abusers	Easy access to both female and male condoms	PEP provided within 72hrs of exposure. (e.g. sexual violence, occupational exposure, discordant couples)	Regular HCT (e.g. yearly)	Regular TB screening;	Providing MMC services	Mass media with messages targeting healthy lifestyles and promotion of effective programmes	Prompt treatment of those infected		N/A	Economic and social empowerment rehabilitation for substance abuse
<i>Agency/ Agencies</i>	<i>DOH, COGTA</i>	<i>DOH, DCSL, SAPS</i>	<i>DOH</i>	<i>DOH</i>	<i>DOH</i>	<i>OTP, DAC, DSR</i>	<i>DOH</i>			<i>DEDT, DAERD, DSD</i>
	Consistent condom promotion			Investigations if contact or symptomatic			Tracing and treatment of contacts			Violence reduction
<i>Agency/ Agencies</i>	<i>DOH, COGTA</i>			<i>DOH</i>			<i>DOH</i>			<i>DCSL, DSD</i>
				Early TB treatment if infected		Community conversations and mobilization	Counselling			Appropriate human settlement
<i>Agency/ Agencies</i>				<i>DOH</i>		<i>OTP, DAC,</i>	<i>DOH</i>			<i>COGTA, DHS</i>
						Toll free help line				Access to clean water and sanitation
<i>Agency/ Agencies</i>						<i>DOH</i>				<i>COGTA DAERD</i>

Combination interventions to prevent HAST transmission among specific target groups										
Target Group and Agencies	Condoms	PEP	HCT	TB screening	MMC	BCC	STI Treatment	PrEP	PMTCT	Addressing contextual issues
Immigrants and mobile populations (including students in tertiary institutions, tourists, long distance drivers, informal settlement dwellers)	Easy access to both female and male condoms	PEP provided within 72hrs of exposure.	Regular HCT (e.g. yearly)	Regular TB screening;	Providing MMC services	Mass media with messages targeting healthy lifestyles and promotion of effective programmes	Prompt treatment of those infected	HIV negative who wants to conceive with HIV infected partner	Appropriate PMTCT services including primary prevention of HIV and pregnancies	Economic and social empowerment
<i>Agency/ Agencies</i>	<i>DOH, COGTA, DOT, DCS, DOE, DHA</i>	<i>DOH, DCSL, SAPS</i>	<i>DOH, DCS, DOT,</i>	<i>DOH</i>	<i>DOH</i>	<i>DOT, DCS, DOE, DAC, OTP</i>	<i>DOH</i>	<i>DOH</i>	<i>DOH</i>	<i>DOT, DED, DAERD, DSD, DHA, DCS</i>
	Consistent condom promotion			Investigations if contact or symptomatic			Tracing and treatment of contacts			Violence reduction
<i>Agency/ Agencies</i>	<i>DOH, COGTA</i>			<i>DOH</i>			<i>DOH</i>			<i>DCSL, DSD</i>
				Early TB treatment if infected		Community conversations and mobilization	Counselling			Appropriate human settlement especially for informal settlements
<i>Agency/ Agencies</i>				<i>DOH</i>		<i>OTP, DAC,</i>	<i>DOH</i>			<i>COGTA, DHS</i>
						Toll free help line				Access to clean water and sanitation
<i>Agency/ Agencies</i>						<i>DOH</i>				<i>COGTA DAERD</i>

	Combination interventions to prevent HAST transmission among specific target groups									
Target Group and Agencies	Condoms	PEP	HCT	TB screening	MMC	BCC	STI Treatment	PrEP	PMTCT	Addressing contextual issues
Employees	Easy access to both female and male condoms	PEP provided within 72hrs of exposure.	Yearly HCT for those over 12 years	Yearly TB screening for those over 12 years	Infant and adolescent MMC	Life skills-based education to enable the make safe choices e.g. delaying sexual debut	Prompt treatment of those infected	N/A	Appropriate PMTCT services including primary prevention of HIV and pregnancies	Economic and social empowerment
<i>Agency/ Agencies</i>	DOH,OTP COGTA, All departments and Private sector	DOH, DCSL, SAPS	DOH OTP COGTA, All departments and Private sector	DOH OTP COGTA, All departments and Private sector	DOH OTP COGTA, All departments and Private sector	DDOH OTP COGTA, All departments and Private sector	DOH OTP COGTA, All departments and Private sector	DOH OTP COGTA, All departments and Private sector	DOH OTP COGTA, All departments and Private sector	DED, DAERD, DSD OTP COGTA, All departments and Private sector
	Consistent condom promotion			Investigations if contact or symptomatic			Tracing and treatment of contacts			Violence reduction
<i>Agency/ Agencies</i>	<i>DOH, COGTA OTP COGTA, All departments and Private sector</i>			<i>DOH</i>			<i>DOH</i>			DCSL, DSD OTP COGTA, All departments and Private sector
				Early TB treatment if infected		Community conversations and mobilization	Counselling			Access to clean water and sanitation
<i>Agency/ Agencies</i>				<i>DOH</i>		OTP, DAC	DOH			EMPLOYERS
						Toll free help line				Access to clean water and sanitation
<i>Agency/ Agencies</i>						DOH				COGTA DAERD

	Combination interventions to prevent HAST transmission among specific target groups									
Target Group and Agencies	Condoms	PEP	HCT	TB screening	MMC	BCC	STI Treatment	PrEP	PMTCT	Addressing contextual issues
LGBTI	Easy access to both female and male condoms	PEP provided within 72hrs of exposure.	Regular HCT (e.g. yearly)	Regular TB screening;	Providing MMC services	Mass media with messages targeting healthy lifestyles and promotion of effective programmes	Prompt treatment of those infected	Need to be considered	N/A	Economic and social empowerment
<i>Agency/ Agencies</i>	DOH	DOH, DCSL, SAPS	DOH	DOH	DOH	OTP, DAC	DOH	DOH		DED, DAERD, DSD
	Consistent condom promotion			Investigations if contact or symptomatic			Tracing and treatment of contacts			Violence reduction
<i>Agency/ Agencies</i>	<i>DOH, DAERD Municipalities</i>			<i>DOH</i>			<i>DOH</i>			DCSL, DSD
				Early TB treatment if infected		Community conversations and mobilization	Counselling			Appropriate human settlement
<i>Agency/ Agencies</i>				<i>DOH</i>		DAERD, OTP, DAC and Municipalities	DOH			COGTA, DHS
						Toll free help line				Access to clean water and sanitation
<i>Agency/ Agencies</i>						DOH				COGTA DAERD

	Combination interventions to prevent HAST transmission among specific target groups									
Target Group and Agencies	Condoms	PEP	HCT	TB screening	MMC	BCC	STI Treatment	PrEP	PMTCT	Addressing contextual issues
Farm dwellers	Easy access to both female and male condoms	PEP provided within 72hrs of exposure.	Regular HCT (e.g. yearly)	Regular TB screening;	Providing MMC services	Mass media with messages targeting healthy lifestyles and promotion of effective programmes	Prompt treatment of those infected	HIV negative who wants to conceive with HIV infected partner	Appropriate PMTCT services including primary prevention of HIV and pregnancies	Economic and social empowerment
<i>Agency/ Agencies</i>	DOH, DAERD, Municipalities		DOH	DOH	DOH	OTP, DAERD, Municipalities	DOH	DOH	DOH	DED, DAERD, DSD, Municipalities
	Consistent condom promotion			Investigations if contact or symptomatic			Tracing and treatment of contacts			Violence reduction
<i>Agency/ Agencies</i>	<i>DOH, DAERD Municipalities</i>			<i>DOH</i>			<i>DOH</i>			DCSL, DSD
				Early TB treatment if infected		Community conversations and mobilization	Counselling			Appropriate human settlement
<i>Agency/ Agencies</i>				<i>DOH</i>		DAERD, OTP, DAC and Municipalities	DOH			COGTA, DHS
						Toll free help line				Access to clean water and sanitation
<i>Agency/ Agencies</i>						DOH				COGTA DAERD